





HNE CAF's 25 Trolley Sys

HNE CAF's 25 Trolley fire fighting system is a mobile rapid intervention tool to knock down or control fires at its initial stage. The system is precision-design to inject compress air into the extinguishing agent, thus generate high quality CAF's. With this advanced technology, the user can easily knock down the fire by just pulling the Gun trigger. The knock down works on 3 simple and effective steps.

- Blanketing
- ii) Absorbing
- iii) Cooling

The trolley is stable and versatile, as it can be pull up or push down on steps with its rotary wheels.



	ATTOO NOT A STATE OF THE PARTY
Technical Specs	CAF's 25 Trolley
Filling Volume	25Lts
Propellant	3Lts CFC @300Bars
Working Pressure	29 bar, constant
Throwing Range (water)	up to 16 m
Duration HiCAF's	app. 53s / Spray: 128 s
Flow Rate	Jet 28L/min or Spray 11.5L/min
Performance Rating	One x IVB
Hose Length	15 or 20 Meters
Discharge Foam Texture	CAF's Constant
Range of Temperature *	-25°C to 60°C
Distance to Electricity	min. 2 m / max. 1000 V
Dimension	599 x 530 x 1000 (LxWxH)
Weight	Empty 32Kg & Filled 58Kg
Pressure Equipment	CE0036

